


REV	DESCRIPTION	DRAWN	DATE

TNC Male




SMA Male

8	SHELL	1	BRASS	NICKEL
7	INSULATOR	1	TEFLON	NONE
6	GASKET	1	SILICONE	NONE
5	RETAINING RING	1	SK5	NICKEL
4	WASHER	1	BRASS	NICKEL
3	INSULATOR	1	TEFLON	NONE
2	PIN	1	BRASS	GOLD
1	BODY	1	BRASS	NICKEL

UNLESS OTHERWISE SPECIFIED
 1.REMOVE ALL BURRS.
 2.BREAK ALL CONNERS & EDGES CO.15 MAX.
 3.CHAMFER 1ST & LAST THREADS 45°.
 4.DIAMETERS ON COMMON CENTERS.
 TO BE CONCENTRIC WITHIN 0.1 T.I.R.
 5.ALL DIMENSIONS ARE AFTER PLATING.

*** MAJOR DIMENSION**
 UNLESS OTHERWISE NOTED TOLERANCES
 0.5-6=±0.2
 6-30=±0.4
 30-120=±0.6
 120-315=±1.0
 ANGLES=±1°

APPROVED
 Danny
CHECKED
 Danny
DRAWN
 Andrew

 **Siretta**
 Enabling Industrial IoT

TITLE SMA PLUG TO TNC PLUG

DRAWING NO. ADAPT/SMAM/TNCM **REV** A

SCALE 5/2 **UNIT** MM **DRAWN DATE** 03/06/20 **FILE NO.**

NO	Description	Qty	Material	Finish
----	-------------	-----	----------	--------