


REV	DESCRIPTION	DRAWN	DATE



5	Gasket	1	Si-rubber	None								
4	Shell(S-004)	2	Brass	NICKEL	UNLESS OTHERWISE SPECIFIED 1.REMOVE ALL BURRS. 2.BREAK ALL CONNERS & EDGES 0.15 MAX. 3.CHAMFER 1ST & LAST THREADS 45°. TO BE CONCENTRIC WITHIN 0.1 T.I.R. 4.DIAMETERS ON COMMON CENTERS. 5.ALL DIMENSIONS ARE AFTER PLATING.	* MAJOR DIMENSION UNLESS OTHERWISE NOTED TOLERANCES 0.5-6=±0.2 6-30=±0.4 30-120=±0.6 120-315=±1.0 ANGLES=±1°	APPROVED	Danny		TITLE SMA FEMALE TO SMA MALE REVERSE POLARITY		
3	Dielectric(T-00030)	2	Teflon	None			CHECKED	Danny				
2	Pin(C-00040)	1	Be Cu	Gold			DRAWN	Andrew				
1	Body(B-00037)	1	Brass	NICKEL								
NO	Description	Q'ty	Material	Finish			SCALE	3/1			UNIT	MM
									DRAWING NO.	ADAPT/SMF/SMAM/RP	REV	A