


REV	DESCRIPTION	DRAWN	DATE



5	RETAINING RING	1	Be Cu	GOLD	UNLESS OTHERWISE SPECIFIED 1.REMOVE ALL BURRS. 2.BREAK ALL CORNERS & EDGES C0.15 MAX. 3.CHAMFER 1ST & LAST THREADS 45°. 4.DIAMETERS ON COMMON CENTERS. TO BE CONCENTRIC WITHIN 0.1 T.I.R. 5.ALL DIMENSIONS ARE AFTER PLATING.	* MAJOR DIMENSION  UNLESS OTHERWISE NOTED TOLERANCES 0.5–6=±0.2 6–30=±0.4 30–120=±0.6 120–315=±1.0 ANGLES=±1°				APPROVED		<div><div><div></div></div><div>Siretta</div><div>Enabling Industrial IoT</div></div>							
4	DIELECTRIC	1	TEFLON	NONE						HF						TITLE SMB MALE TO SMA MALE			
3	PIN	1	Be Cu	GOLD						CHECKED HF									
2	BODY	1	BRASS	GOLD						DRAWN andrew		ADAPT/SMBM/SMAM				REV	b		
1	BODY	1	BRASS	GOLD															
NO	Description	Q'ty	Material	Finish		SCALE	6/1	UNIT	MM	DRAWN DATE 03/06/07		FILE NO.							